

	Type	L #	Hits	Search Text	DBs
1	IS&R	L8	1881	(335/220-229) .CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L9	737843	solenoid actuator	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L10	11466	anti-corrosion	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
4	BRS	L11	141825 4	coil winding	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	BRS	L12	120	L9 and L10 and L11	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L13	1143	corrosion same (armature plunger)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L14	14	L9 and L10 same L11	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L15	10	("2442016" "3054976" "3440459" "3470399").PN. OR ("3745386").URPN.	US- PGPUB; USPAT; USOCR
9	BRS	L16	12833	anti adj corrosion	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
10	BRS	L17	14	L9 and L16 same L11	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
11	BRS	L18	311	L9 and L13	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L19	191	(anti-corrosion anti adj corrosion).clm.	US- PGPUB
13	BRS	L20	190945	(armature plunger part).clm.	US- PGPUB
14	BRS	L21	50	19 and 20	US- PGPUB
15	BRS	L22	115733	(thick\$4 thin\$4).clm.	US- PGPUB
16	BRS	L23	61	19 and 22	US- PGPUB
17	BRS	L24	31444	(solenoid actuator).clm.	US- PGPUB
18	BRS	L25	1	23 and 24	US- PGPUB
19	BRS	L26	3	21 and 24	US- PGPUB
20	BRS	L27	1	19 and 22 and 24	US- PGPUB
21	BRS	L28	245164	(layer coating plating cover).clm.	US- PGPUB
22	BRS	L29	118	28 and 19	US- PGPUB
23	BRS	L31	2	29 and 24	US- PGPUB